



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

STRIP & GO®

Page 1

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: STRIP & GO®

Company Identification

INTERNATIONAL STONEWORKS, INC
2523 FAIRWAY PARK DRIVE, STE 510
HOUSTON, TEXAS 77092
1-713-956-8291 (For product information)
1-800-764-7661 (For emergencies)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name -----	Amount -----	CAS Number -----
2-BUTOXYETHANOL	< 5%	111-76-2

(See Section 8 for exposure guidelines)

(See Section 15 for regulatory information)

COMPOSITION COMMENT:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

HAZARDS DISCLOSURE

This product contains hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

STRIP & GO®

Page 2

SARA 311 Categories:

Immediate (Acute) Health Effects....: Yes
Delayed (Chronic) Health Effects....: No
Fire Hazard.....: No
Sudden Release Of Pressure Hazard...: No
Reactivity Hazard.....: No

3. HAZARDS IDENTIFICATION

```
***** EMERGENCY OVERVIEW *****
*
* CAUTION
*
* Keep away from
* heat, sparks and flames! May cause skin, eye, or
* respiratory tract irritation. KEEP AWAY FROM CHILDREN.*
*
*****
```

HMIS Rating - Health: 2
Flammability: 1
Reactivity: 0
Personal Protection Index: X

NFPA/HMIS Definitions: (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme). These values are obtained using the guidelines or published evaluations prepared by the national Fire Protection Association (NFPA) or the National Paint and Coating Association (for HMIS ratings).

POTENTIAL HEALTH EFFECTS

EYE:

Contact may cause eye irritation.

SKIN:

May cause skin irritation with discomfort or rash, redness, swelling, and itching.

INHALATION:

Inhalation of vapors or mist may cause irritation to respiratory tract.



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

INGESTION:

Ingestion of larger amounts may cause gastric disturbances. May cause headaches, dizziness, nausea, vomiting, diarrhea and general weakness.

SIGNS AND SYMPTOMS OF EXPOSURE:

Irritation as noted.

CARCINOGENICITY INFORMATION:

N.A.

MEDICAL CONDITIONS AGRAVATED BY EXPOSURE:

May aggravate pre-existing eye, skin or respiratory tract conditions upon contact.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT FIRST AID:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. Wash clothing before reuse.

INHALATION FIRST AID:

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get immediate medical attention.

INGESTION FIRST AID:

If swallowed, immediately give 2 glasses of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: < 200 F

Auto-ignition Temperature: N/A



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

STRIP & GO®

Page 4

FLAMMABLE LIMITS IN AIR
N/A

FLAMMABLE PROPERTIES:
Use self-contained breathing apparatus and protective equipment.

EXTINGUISHING MEDIA:
Water, carbon dioxide, foam or dry powder.

FIRE & EXPLOSION HAZARDS:

FIRE FIGHTING INSTRUCTIONS:
As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

COMBUSTION PRODUCTS:
Burning may produce oxides of carbon.

6. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS (PERSONNEL):
Wear appropriate personal protective equipment. Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

INITIAL CONTAINMENT:
Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

LARGE SPILLS PROCEDURE:
Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

SMALL SPILLS PROCEDURE:
Absorb spills with inert material. Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

MISCELLANEOUS:
Flush spill area with water.



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction. Avoid breathing (dust, vapor, mist, gas). Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Follow all MSDS/label precautions even after container is emptied because they may retain product residues. KEEP AWAY FROM CHILDREN.

HANDLING (PHYSICAL ASPECTS):

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction. Keep container closed to avoid contamination. Store in a cool dry area. KEEP AWAY FROM CHILDREN

STORAGE PRECAUTIONS:

Keep container closed when not in use. Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction. KEEP AWAY FROM CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:

Use static controls. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

EYE / FACE PROTECTION REQUIREMENTS:

Wear safety glasses with side shields (or goggles) and a face shield.

SKIN PROTECTION REQUIREMENTS:

Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield. Nitrile, neoprene or natural rubber gloves.

RESPIRATORY PROTECTION REQUIREMENTS:

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

MISCELLANEOUS:

Observe the usual precautions for handling any chemical substance.

EXPOSURE GUIDELINES:

2-Butoxyethanol

OSHA TWA: 25 ppm

ACGIH TWA: 25 ppm

OSHA STEL: 75 ppm ppm

Skin Designation: Yes



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Liquid
COLOR: Colorless/light amber
ODOR: Mild
SOLUBILITY IN WATER: Soluble
SPECIFIC GRAVITY: 1.00 average (Water = 1)

10. STABILITY AND REACTIVITY

STABILITY:
Stable.

POLYMERIZATION:
Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS:
Avoid contact with strong oxidizing agents.

DECOMPOSITION:
Burning may produce oxides of carbon.

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

No information available.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:
Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

14. TRANSPORTATION INFORMATION

PRODUCT LABEL.....: STRIP & GO ®
THIS PRODUCT IS NOT REGULATED BY D.O.T.



INTERNATIONAL STONEWORKS, INC.

2523 FAIRWAY PARK, SUITE 510 * HOUSTON, TEXAS 77092
TEL: (713) 956-8291 * 1-800-775-TILE * FAX: (713) 956-8293
www.intlstoneworks.com * email: sales@intlstoneworks.com

15. REGULATORY INFORMATION

REGULATORY DISCLOSURES:

Chemicals subject to the reporting requirements of SARA Title III Section 313 and 40 CFR Part 372: 2-Butoxyethanol (Glycol Ether Category) CAS 111-76-2, .

SARA Title III - Section 313

2-Butoxyethanol (111-76-2)

STATE REGULATIONS:

2-Butoxyethanol (111-76-2)

NEW JERSEY - Workplace Hazard-Environmental Hazard

PENNSYLVANIA - Workplace Hazard

MASSACHUSETTS - Hazardous Substance

NEW YORK - Hazardous Substance

MISCELLANEOUS INFORMATION:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

16. OTHER INFORMATION

Prepared By.....: cjl
Approved By.....:
Title.....: Environmental Manager
Approval Date.....: May, 2009
Supercedes Date...: January, 2010
CAL Number.....: I2857

ADDITIONAL INFORMATION:

The data in this Material Safety Data Sheet relates only to the specific material designated herein.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best Knowledge of INTERNATIONAL STONEWORKS, INC. The data on this sheet are related to the specific material designated herein. INTERNATIONAL STONEWORKS, INC assumes no legal responsibility for use or reliance upon these data.

END OF MSDS
