

Safety Data Sheet

U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard

29 CFR 1910.1200. Standard must be

consulted for specific requirements.

Occupational Safety and Health
Administration

(Non-

Mandatory Form)

Form

Approved

OMB

No. 1218-0072

IDENTITY (As Used on Label and List)

BUFF & GO ® Plus Granite

Section I

Supplied by

INTERNATIONAL STONWORKS, INC.

Address (Number, Street, City, State, and Zip Code)

8650 Fairbanks N Houston, Houston, TX 77064

Telephone Number

(800) 775-TILE

Emergency

Telephone Number for Information

(713) 956-8291

www.intlstoneworks.com

Date Prepared January 9, 2026

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Other Limits % (optional))

Magnesium Hexafluorosilicate 6 CAS no. 18972-56-0 5-10%

Section III - Physical/Chemical Characteristics

Boiling Point

100 C

Specific Gravity

(H₂O = 1) 1gr/cm3

Vapor Pressure (mm Hg.)

20/25 C

Melting Point

0

water

Vapor Density (AIR = 1)

Less than 1

Evaporation Rate

Less than 1 water

Butyl Acetate = 1)

Solubility in Water

Completely soluble

pH

4

Appearance and Odor

Milky white tixo trop liquid/odorless

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)

**Non
Flammable**

Flammable
Limits LEL
N/A UEL
N/A

Extinguishing Media **N/A**

Special Fire Fighting Procedures **N/A**

Unusual Fire and Explosion Hazards **N/A**

OSHA 174, Sept. 1985

BUFF & GO ® Plus Granite**Section V - Reactivity Data**

Stability	Unstable	Conditions to Avoid Temperatures less or equal to 0 C
Stable	Yes	Temperatures higher than 60 C
Incomparability (Materials to Avoid) Will thicken when mixed with Alkalines. Do not mix with chlorine		
Hazardous Decomposition or Byproducts		

Hazardous	May Occur	Conditions to Avoid
Will Not Occur	X	

Section VI - Health Hazard Data

Routes of Entry:	Inhalation	Skin
Dizziness/Headache	Irritation/Drying	Ingestion
Health Hazards (Acute and Chronic)	N/A	
Carcinogenicity		NTP
		IARC
		Monographs
		OSHA
		Regulated
	NO	

Signs and Symptoms of Exposure	IRRITATION

Medical Conditions	
Generally Aggravated by Exposure	Burns or Lacerations
Emergency and First Aid Procedures: INHALATION: Remove victim from area. SKIN IRRITATION: Wash with alkaline soap/ flush with water. EYE IRRITATION: Flush with plenty of water for at least 15 minutes/call physician. INJECTION: If swallowed, do not induce vomiting. give plenty of water and get medical help.	

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled	Neutralize with Alkaline soap. Add sand, put in plastic container and dispose according to local regulations for disposal of corrosive material.

Waste Disposal Method	
Precautions to Be Taken in Handling and Storing	Do not freeze
	Keep at temperature less than 50 C.
	Keep away from children and animals

Keep away from foods & drinks including animal foods

Other Precautions This product is to be used exclusively by cleaning and stone restoration professionals.

Please read Buff & Go ® Plus Granite information sheet carefully before usage.

Section VIII - Control Measures

Respiratory Protection (Specify Type)	Use protection mask
Ventilation	Local Exhaust Desirable

Mechanical (General)	Special	Other
Protective Gloves Rubber Gloves	Eye Protection	Yes (safety glasses)
Other Protective Clothing or Equipment		
Work/Hygienic Practices Do not eat or drink during application. Use normal good personal hygiene.		