



International Stoneworks, Inc.  
SEAL & GO ® W  
WATER-BASED SEALER

Page 1

## **SAFETY DATA SHEET**

### **1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Identification

-----  
Product Name: STONE SEALER WATER-BASED

Company Identification

-----  
International Stoneworks, Inc.  
8650 Fairbanks N Houston  
Houston, TX 77064 USA  
713-956-8291 (For product information)

#### **24 Hour Emergency Contact:**

CHEMTREC 1-800-424-9300 (within USA)  
CHEMTREC 1-703-527-3887 (outside USA)

### **2. HAZARDS IDENTIFICATION**

GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

Skin corrosion/irritation: Category 3  
Serious eye damage/eye irritation: Category 2B

GHS LABEL ELEMENTS

Hazard Pictograms:



**SIGNAL WORD: Warning**

GHS HAZARD STATEMENT:

H316 Causes mild skin irritation.  
H320 Causes eye irritations

GHS PRECAUTIONARY PHRASES:

P264 Wash hands, skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P102: Keep out of reach of children.

P501: Dispose of contents/container according to local, state and federal regulations.

**HMIS Rating:**



NFPA/HMIS Definitions: (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme). These values are obtained using the guidelines or published evaluations prepared by the national Fire Protection Association (NFPA) or the National Paint and Coating Association (for HMIS ratings).

**POTENTIAL HEALTH EFFECTS**

**EYE:**

Contact may cause eye irritation.

**SKIN:**

Contact may cause skin irritation.

**INHALATION:**

No known hazards in normal industrial use.

**INGESTION:**

Amounts ingested incidental to industrial handling not likely to cause harm.

**SIGNS AND SYMPTOMS OF EXPOSURE:**

Irritation as noted.

**CARCINOGENICITY INFORMATION:**

N.A.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name -----	Amount -----	CAS Number -----
STONE SEALER WATER-BASED	100%	

(See Section 8 for exposure guidelines)

(See Section 15 for regulatory information)

**COMPOSITION COMMENT:**

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

**HAZARDS DISCLOSURE**

This product does not contain any chemical components that exceed the De Minimis reporting levels established by SARA Title III, Section 313 and 40 CFR 372

**SARA 311 Categories:**

Immediate (Acute) Health Effects.....	Yes
Delayed (Chronic) Health Effects.....	No
Fire Hazard.....	No
Sudden Release Of Pressure Hazard....	No
Reactivity Hazard.....	No

**4. FIRST AID MEASURES****EYE CONTACT FIRST AID:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

**SKIN CONTACT FIRST AID:**

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. Wash clothing before reuse.

**INHALATION FIRST AID:**

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get immediate medical attention.

**INGESTION FIRST AID:**

If swallowed, immediately give 2 glasses of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

## **5. FIRE FIGHTING MEASURES**

### FLAMMABLE PROPERTIES

COC Flash Point: N/A

Auto ignition Temperature: N/A

### FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

### FLAMMABLE PROPERTIES:

Use self-contained breathing apparatus and protective equipment.

### EXTINGUISHING MEDIA:

Water, carbon dioxide, foam or dry powder.

### FIRE FIGHTING INSTRUCTIONS:

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

### COMBUSTION PRODUCTS:

Burning may produce oxides of carbon.

## **6. ACCIDENTAL RELEASE MEASURES**

### SAFEGUARDS (PERSONNEL):

Wear appropriate personal protective equipment.

### INITIAL CONTAINMENT:

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

### LARGE SPILLS PROCEDURE:

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

### SMALL SPILLS PROCEDURE:

Absorb spills with inert material. Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

### MISCELLANEOUS:

Flush spill area with water.

## **7. HANDLING AND STORAGE**

### HANDLING (PERSONNEL):

Avoid breathing (dust, vapor, mist, gas). Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Follow all SDS/label precautions even after container is emptied because they may retain product residues.

**HANDLING (PHYSICAL ASPECTS):**

Keep container closed to avoid contamination. Store in a cool dry area.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****EYE / FACE PROTECTION REQUIREMENTS:**

Wear safety glasses with side shields (or goggles) and a face shield.

**SKIN PROTECTION REQUIREMENTS:**

Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield. Nitrile, neoprene or natural rubber gloves.

**RESPIRATORY PROTECTION REQUIREMENTS:**

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

**MISCELLANEOUS:**

Observe the usual precautions for handling any chemical substance.

**EXPOSURE GUIDELINES:**

N/A

**9. PHYSICAL AND CHEMICAL PROPERTIES**

FORM .....: Liquid  
COLOR .....: Light Amber  
ODOR .....: Slight  
SPECIFIC GRAVITY .....: 1.00 average (Water = 1)  
VOC .....: Less than 50g/L

**10. STABILITY AND REACTIVITY****STABILITY:**

Stable.

**POLYMERIZATION:**

Hazardous polymerization will not occur.

**INCOMPATIBILITY WITH OTHER MATERIALS:**

Avoid contact with acids, bases, and oxidizers.

**DECOMPOSITION:**

Burning may produce oxides of carbon.

**11. TOXICOLOGICAL INFORMATION**

No information available.

**12. ECOLOGICAL INFORMATION**

No information available.

**13. DISPOSAL CONSIDERATIONS**

## WASTE DISPOSAL:

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

**14. TRANSPORTATION INFORMATION**

PRODUCT LABEL....: STONE SEALER WATER-BASED

D.O.T.(Department of Transportation):

This product is not classified as hazardous in accordance with US DOT-49 CFR 172.101

**15. REGULATORY INFORMATION**

## REGULATORY DISCLOSURES:

Chemicals subject to the reporting requirements of SARA Title III Section 313 and 40 CFR Part 372:

This product does not contain any chemical components that exceed the De Minimus reporting levels established by SARA Title III, Section 313 and 40 CFR 372.

Volatile Organic Compounds (VOC) = <50g/L

EEC Symbols and Indications of Danger:

None

WHMIS Hazard Symbols:

None

Canadian Disclosure List

N/A

Title V

N/A

## MISCELLANEOUS INFORMATION:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

**16. OTHER INFORMATION**

Prepared By.....: CJL

Approved By.....: SJL

Title.....: Health & Safety Officer

Approval Date.....: January 2025

Supersedes Date....:

## ADDITIONAL INFORMATION:

The data in this Safety Data Sheet relates only to the specific material designated herein.

\*\*\*\*\*

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of International Stoneworks. The data on this sheet are related to the specific material designated herein. International Stoneworks assumes no legal responsibility for use or reliance upon these data.

\*\*\*\*\*

END OF SDS